





High Performance

Pattern Code K715 **PCR**



# OPTIMO K715



M-Code	Size	USE	PR	S/W Type	Recomm- ended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference
							(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")			

65																					
1006603	155/65R13	73T	-	4	DSB	4.5	44	365	805	532	20.9	156	6.1	108	4.3	7.4	9.3	243	992	1623	
1006872	155/65R13	73T	I	4	DSB	4.5	44	365	805	532	20.9	156	6.1	108	4.3	7.4	9.3	243	992	1623	
1009030	155/65R13	73T	E-	4	DSB	4.5	44	365	805	531	20.9	156	6.1	108	4.3	7.1	9.0		994	1620	
1010060	155/65R13	73H	C-	4	DSB																
1006610	165/65R13	77T	-	4	DSB	5.0	44	412	908	543	21.4	164	6.5	112	4.4	7.7	9.6	245	972	1656	
1006871	165/65R13	77T	I	4	DSB	5.0	44	412	908	543	21.4	164	6.5	112	4.4	7.7	9.6	245	972	1656	
1007482	165/65R13	77T	CJ	4	DSB	5.0	44	412	908	543	21.4	164	6.5	112	4.4	7.7	9.6	245	972	1656	
1007779	165/65R13	77T	C	4	DSB	5.0	44	412	908	542	21.3	169	6.7	120	4.7	7.2	9.0	249	974	1653	
1009031	165/65R13	77T	E-	4	DSB	5.0	44	412	908	542	21.3	168	6.6	120	4.7	7.3	9.2		974	1653	
1010062	165/65R13	77T	C-	4	DSB																
1006970	175/65R13	80T	I	4	DSB	5.0	44	450	992	557	21.9	173	6.8	126	5.0	8.1	10.1	251	947	1699	
1009032	175/65R13	80T	E-	4	DSB	5.0	44	450	992	555	21.9	175	6.9	126	5.0	7.7	9.7	252	951	1693	
1011656	175/65R13	80T	CE	4	DSB																
1006819	155/65R14	75T	I	4	DSB	4.5	44	387	853	557	21.9			108					947	1699	
1010760	155/65R14	75T	E-	4	DSB	4.5	44	387	853	557	21.9	156	6.1	108	4.3	7.2	9.0		947	1699	
1011651	155/65R14	75T	CE	4	DSB																
1006266	165/65R14	79T	I	4	DSB	5.0	44	437	963	570	22.4	165	6.5	120	4.7	7.9	9.9	257	926	1739	
1006393	165/65R14	79T	-	4	DSB	5.0	44	437	963	570	22.4	165	6.5	120	4.7	7.9	9.9	257	926	1739	
1009033	165/65R14	79T	E-	4	DSB	5.0	44	437	963	569	22.4	169	6.7	120	4.7	7.5	9.5		927	1735	
1011653	165/65R14	79T	CE	4	DSB																
1006845	175/65R14	82T	-	4	DSB	5.0	44	475	1047	583	23.0	175	6.9	126	5.0	8.5	10.6	263	905	1778	
1006870	175/65R14	82T	I	4	DSB	5.0	44	475	1047	583	23.0	175	6.9	126	5.0	8.5	10.6	263	905	1778	
1006895	175/65R14	82T	F	4	DSB	5.0	51	475	1047	581	22.9	171	10.7	124	4.9	7.6	9.5	267	908	1772	
1006968	175/65R14	86T	XL	I	4	DSB	5.0	50	530	1168	581	22.9	175	6.9	126	5.0	8.6	10.8	264	909	1772
1009011	175/65R14	82T	E-	4	DSB	5.0	44	475	1047	583	23.0	175	6.9	126	5.0	8.2	10.3		905	1778	
1009012	175/65R14	86T	XL	E-	4	DSB	5.0	34	530	1168	583	23.0	175	6.9	126	5.0	8.2	10.3		905	1778
1009879	175/65R14	82T	CP	4	DSB																
1010064	175/65R14	82H	C-	4	DSB																
1011663	175/65R14	82T	CE	4	DSB																
1006398	185/65R14	86T	-	4	DSB	5.5	44	530	1168	595	23.4	186	7.3	136	5.4	8.4	10.5	267	887	1815	
1006973	185/65R14	86T	I	4	DSB	5.5	44	530	1168	595	23.4	186	7.3	136	5.4	8.4	10.5	267	887	1815	
1007655	185/65R14	86T	C	4	DSB	5.5	44	530	1168	594	23.4	189	7.4	136		7.6	9.5		888	1812	
1009013	185/65R14	86T	E-	4	DSB	5.5	44	530	1168	595	23.4	187	7.4	136	5.4	8.0	10.1		887	1815	
1009881	185/65R14	86T	CP	4	DSB																
1011624	185/65R14	86T	CE	4	DSB																
1006611	195/65R14	89T	-	4	DSB	6.0	44	580	1279	609	24.0	198	7.8	144	5.7	8.3	10.4	271	866	1857	
1006882	195/65R14	89T	I	4	DSB	6.0	44	580	1279	609	24.0	198	7.8	144	5.7	8.3	10.4	271	866	1857	
1009097	195/65R14	89T	E-	4	DSB	6.0	44	580	1279	609	24.0	198	7.8	144	5.7	8.0	10.1	277	866	1857	
1007227	145/65R15	72T	I	4	DSB	4.5	44	355	783	568	22.4	149	5.9	106	4.2	7.2	9.0	261	929	1732	
1011648	145/65R15	72T	CE	4	DSB																
1007228	175/65R15	84T	I	4	DSB	5.0	44	500	1102	608	23.9	175	6.9	126	5.0	8.0	10.0	276	868	1854	
1008182	175/65R15	84T	CJ	4	DSB																
1009116	175/65R15	84T	E-	4	DSB	5.0	44	500	1102	608	23.9	175	6.9	126	5.0	7.7	9.7		868	1854	
1006399	185/65R15	88T	-	4	DSB	5.5	44	560	1235	621	24.5	186	7.3	136	5.4	8.4	10.5	279	849	1894	
1006974	185/65R15	88T	I	4	DSB	5.5	44	560	1235	621	24.5	186	7.3	136	5.4	8.4	10.5	279	849	1894	
1009007	185/65R15	88T	E-	4	DSB	5.5	44	560	1235	620	24.4	187	7.4	136	5.4	8.0	10.1		851	1891	
1011659	185/65R15	88T	CE	4	DSB																
1006400	195/65R15	91T	-	4	DSB	6.0	44	615	1356	634	25.0	198	7.8	144	5.7	8.6	10.8	285	832	1934	
1006890	195/65R15	95T	XL	I	4	DSB	6.0	50	690	1521	634	25.0	198	7.8	144	5.7	8.4	10.5	285	832	1934
1011647	145/60R13	66T	CE	4	DSB																
1006388	165/60R14	75T	-	4	DSB	5.0	44	387	853	555	21.9	164	6.5	120	4.7	7.8	9.8	255	951	1693	
1006965	165/60R14	75T	I	4	DSB	5.0	44	387	853	555	21.9	164	6.5	120	4.7	7.8	9.8	255	951	1693	

60																				
1007226	145/60R13	66T	I	4	DSB	4.5	44	300	661	502	19.8	149	5.9	106	4.2	6.9	8.6	232	1051	1531
1011647	145/60R13	66T	CE	4	DSB															
1006388	165/60R14	75T	-	4	DSB	5.0	44	387	853	555	21.9	164	6.5	120	4.7	7.8	9.8	255	951	1693
1006965	165/60R14	75T	I	4	DSB	5.0	44	387	853	555	21.9	164	6.5	120	4.7	7.8	9.8	255	951	1693

Technical data subject to change without prior notice. • These size are currently under development \* XL : Extra Load \* DSB : Diagonal Serrated Band

This T-grade general performance tire for compact cars sports a computer-simulation designed pattern for better handling and riding comfort. The cool 4-straight channels help prevent hydroplaning.

High Performance

Pattern Code K715 **PCR**



**OPTIMO K715**



M-Code	Size	USE	PR	S/W Type	Recom- mended Rim	Max. Air (PSI)	Max.Load		Overall Diameter		Section Width		Tread Width		Tread Depth		SLR	RPM	Rolling Circum- ference	
							(kgs)	(lbs)	mm	inch	mm	inch	mm	inch	mm	inch (32")				
<b>60</b>																				
1007172	165/60R14	75T	CH	4	DSB	5.0	44	387	853	555	21.9	164	6.5	120	4.7	7.8	9.8	255	951	1693
1009034	165/60R14	75T	E-	4	DSB	5.0	44	387	853	553	21.8	169	6.7	120	4.7	7.5	9.5		954	1687
1006389	175/60R14	79T	-	4	DSB	5.0	44	437	963	564	22.2	170	6.7	126	5.0	8.1	10.1	256	935	1720
1006969	175/60R14	79T	I	4	DSB	5.0	44	437	963	564	22.2	170	6.7	126	5.0	8.1	10.1	256	935	1720
1009098	175/60R14	79T	E-	4	DSB	5.0	44	437	963	565	22.2	175	6.9	126	5.0	7.7	9.7		934	1723
1006355	185/60R14	82T	-	4	DSB	5.5	44	475	1047	578	22.7	186	7.3	134	5.3	8.6	10.8	260	913	1763
1006972	185/60R14	82T	I	4	DSB	5.5	44	475	1047	578	22.7	186	7.3	134	5.3	8.6	10.8	260	913	1763
1009014	185/60R14	82T	E-	4	DSB	5.5	30	475	1047	577	22.7	187	7.4	134	5.3	8.2	10.3		914	1760
1009882	185/60R14	82T	CP	4	DSB															
1011658	185/60R14	82T	CE	4	DSB															
1007015	195/60R15	88T	-	4	DSB	6.0	44	560	1235	614	24.2	198	7.8	144	5.7	7.9	9.9	282	859	1873
1010752	195/60R15	88T	E-	4	DSB															

Technical data subject to change without prior notice. \* These size are currently under development \* XL : Extra Load \* DSB : Diagonal Serrated Band

This T-grade general performance tire for compact cars sports a computer-simulation designed pattern for better handling and riding comfort. The cool 4-straight channels help prevent hydroplaning.